





WALL MOUNTED UNITS

		5	7	9	12	15	18	24
		1.5	2.1	2.6	3.5	4.2	5.3	7.0
Wall Mounted Unit	Gallery 	-	-	MA09R.NF1	MA12R.NF1	-	-	-
	Mirror 	-	AM07BP.NSJ	AC09BQ.NSJ	AC12BQ.NSJ	-	AC18BQ.NSK	AC24BQ.NSK
Wall Mounted Unit	Deluxe 	-	DM07RP.NSJ	DC09RQ.NSJ	DC12RQ.NSJ	-	DC18RQ.NSK	DC24RQ.NSK
Wall Mounted Unit	Standard Plus 	PM05SP.NSJ1	PM07SP.NSJ1	S09ET.NSJ	S12ET.NSJ	PM15SP.NSJ1	S18ET.NSK	S24ET.NSK

ARTCOOL GALLERY				MA09R.NF1		MA12R.NF1	
Capacity	Cooling / Heating	Nom	kW	2.6 / 2.9		3.5 / 3.9	
Power Input		Nom	W	40 x 1		40 x 1	
Running Current		Nom	A	0.1		0.1	
Power Supply			V, ∅, Hz	220-240, 1, 50		220-240, 1, 50	
Air Flow Rate		H / M / L	m ³ /min	7.7 / 5.9 / 4.4		8.9 / 7.3 / 5.6	
Sound Pressure	Cooling	H / M / L	dB(A)	38 / 32 / 27		44 / 38 / 32	
Sound Power	Cooling		dB(A)	52		54	
Dehumidification Rate			l/h	1.2		1.4	
Dimensions	Body	W x H x D	mm	600 x 600 x 145		600 x 600 x 145	
Net Weight	Body		kg	15.0		15.0	
Piping	Liquid		mm(inch)	∅ 6.35 (1/4)		∅ 6.35 (1/4)	
Connections	Gas		mm(inch)	∅ 9.52 (3/8)		∅ 9.52 (3/8)	

ARTCOOL MIRROR				AM07BP.NSJ	AC09BQ.NSJ	AC12BQ.NSJ	AC18BQ.NSK	AC24BQ.NSK	
Capacity	Cooling / Heating	Nom	kW	2.1 / 2.3	2.5 / 3.2	3.5 / 3.8	5.0 / 5.8	6.6 / 7.5	
Power Input		Nom	W	17	18	19	39	45	
Running Current		Nom	A	0.14	0.16	0.17	0.28	0.33	
Power Supply			V, ∅, Hz	220-240, 1, 50		220-240, 1, 50		220-240, 1, 50	
Air Flow Rate		H / M / L	m ³ /min	8.6 / 7.2 / 5.6	9.2 / 7.4 / 5.6	9.6 / 8.1 / 5.6	14.2 / 11.3 / 9.9	15.2 / 12.7 / 10.2	
Sound Pressure	Cooling	H / M / L	dB(A)	35 / 32 / 27	36 / 33 / 27	40 / 35 / 27	44 / 38 / 35	46 / 41 / 36	
Sound Power	Cooling		dB(A)	57	57	57	59	65	
Dehumidification Rate			l/h	0.9	1.1	1.2	1.9	2.6	
Dimension		W x H x D	mm	837 x 308 x 192	837 x 308 x 192	837 x 308 x 192	998 x 345 x 212	998 x 345 x 212	
Net weight			kg	9.1	9.9	9.9	13.2	11.6	
Piping Connection	Liquid		mm(inch)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	
	Gas		mm(inch)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 12.7 (1/2)	∅ 12.7 (1/2)	

DELUXE				DM07RP.NSJ	DC09RQ.NSJ	DC12RQ.NSJ	DC18RQ.NSK	DC24RQ.NSK	
Capacity	Cooling / Heating	Nom	kW	2.1 / 2.3	2.5 / 3.2	3.5 / 4.0	5.0 / 5.8	6.6 / 7.5	
Power Input		Nom	W	17	18	19	39	45	
Running Current		Nom	A	0.15	0.16	0.17	0.28	0.33	
Power Supply			V, ∅, Hz	220-240, 1, 50		220-240, 1, 50		220-240, 1, 50	
Air Flow Rate		H / M / L	m ³ /min	7.5 / 6.1 / 4.9	7.7 / 6.4 / 5.0	8.1 / 6.7 / 5.3	14.2 / 11.3 / 9.9	15.2 / 12.7 / 10.2	
Sound Pressure	Cooling	H / M / L	dB(A)	35 / 31 / 26	36 / 32 / 27	38 / 34 / 29	44 / 38 / 34	47 / 41 / 36	
Sound Power	Cooling		dB(A)	56	56	56	60	64	
Dehumidification Rate			l/h	0.9	1.1	1.2	1.9	2.6	
Dimension		W x H x D	mm	837 x 308 x 189	837 x 308 x 189	837 x 308 x 189	998 x 345 x 210	998 x 345 x 210	
Net weight			kg	8.3	8.3	8.3	12.0	12.0	
Piping Connection	Liquid		mm(inch)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	
	Gas		mm(inch)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 12.7 (1/2)	∅ 12.7 (1/2)	

STANDARD PLUS				PM05SP.NSJ1	PM07SP.NSJ1	S09ET.NSJ	S12ET.NSJ	PM15SP.NSJ1	S18ET.NSK	S24ET.NSK		
Capacity	Cooling / Heating	Nom	kW	1.5 / 1.6	2.1 / 2.3	2.5 / 3.2	3.5 / 3.8	4.2 / 5.4	5.0 / 5.8	6.6 / 7.5		
Power Input		Nom	W	16	17	18	19	21	39	45		
Running Current		Nom	A	0.13	0.14	0.16	0.17	0.18	0.28	0.33		
Power Supply			V, ∅, Hz	220-240, 1, 50		220-240, 1, 50		220-240, 1, 50		220-240, 1, 50		
Air Flow Rate		H / M / L	m ³ /min	8.3 / 6.7 / 5.6	8.6 / 7.2 / 5.6	9.2 / 7.4 / 5.6	9.6 / 8.1 / 5.6	100/85/61	14.2 / 11.3 / 9.9	15.2 / 12.7 / 10.2		
Sound Pressure		H / M / L	dB(A)	34 / 31 / 27	35 / 32 / 27	36 / 33 / 27	40 / 35 / 27	41 / 36 / 29	44 / 38 / 35	46 / 41 / 36		
Sound Power			dB(A)	57	57	57	57	57	59	65		
Dehumidification Rate			l/h	0.9	0.9	0.9	0.9	1.2	0.9	0.9		
Dimension		W x H x D	mm	837 x 308 x 189					998 x 345 x 210			
Net weight			kg	7.4	7.4	8.7	8.7	8.7	11.9	12.7		
Piping Connection	Liquid		mm(inch)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)	∅ 6.35 (1/4)		
	Gas		mm(inch)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 9.52 (3/8)	∅ 12.7 (1/2)	∅ 12.7 (1/2)		